

EPL015 AuraBeam™ 230



The new Encore Professional Lighting AuraBeamTM 230 is a moving head fixture featuring an Osram 230 watt lamp rated at 2,000 hours. This fixture offers 8 and 16 bit resolution for Pan/Tilt, $360^{\circ}/540^{\circ}/630^{\circ}$ Pan & $90^{\circ}/180^{\circ}/270^{\circ}$ Tilt options, scan position memory, high precision glass optic with 2.5° beam angle, Static Gobo Wheel (16 Gobos + Open), Color Wheel (11 Colors + Open), Electronic Focus, 8 facet Prism w/ variable speed/direction, electronic strobe/dimming (0-100%), power-con, 5-pin DMX as well as EtherCon (RJ45) in & Through, fan cooled (low-noise speed adjustable), and rugged aluminum frame with die-cast plastic covers.


Features:

- ✓ Osram 230 watt lamp
- ✓ 2 DMX Channel Modes (13/15)
- √ 8/16 bit Smooth Pan/Tilt
- ✓ Variable Electronic Strobe, Dimming.
- ✓ Preset Variable/Random Strobe & Dimming Pulse Effects
- ✓ Static Gobo Wheel (16 Patterns + Open)
- ✓ Color Wheel (11 Colors + Open)
- √ 8 Facet Prism Variable Speed and Direction
 w/ Indexing
- ✓ Hybrid Wash Effect (Frost Filter)
- ✓ Electronic Focus
- ✓ ArtNet + KlingNet + DMX
- ✓ Stand-alone, Master/Slave & DMX Modes
- ✓ Daisy Chain to multiple units
- ✓ Omega Bracket Mounting Hardware
- ✓ Side handles for transportation

Specifications:

- ✓ Input Voltage: AC 90v-260v 50-60Hz
- ✓ Power Consumption: 270w
- ✓ Control: DMX512, Master-Slave, Sound Activated, Auto Operation
- ✓ Comtrol Protocols: Art-Net, KlingNet
- ✓ Power: Power-Con In
- ✓ Signal: 5-Pin XLR and EtherCon (RJ45) In & Through
- ✓ Cooling: Fan Cooled (Low Noise)
- ✓ Protection Grade: IP20
- ✓ Dims: 8" x 13.7" x 17.1"
- ✓ Weight: 29.1lbs





Photometric Beam Angle Data 2.5°Beam Angle LUX × 0.0929=FC

